In the Claims:

- 1-38. (canceled).
- 39. (Currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide; or
- the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256, wherein the polypeptide encoded by said nucleic acid is capable of stimulating proliferation of T-lymphocytes.
- 40. (Currently amended) The isolated polypeptide of Claim 39 having at least 85% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256,
 - wherein the polypeptide encoded by said nucleic acid is capable of stimulating proliferation of T-lymphocytes.
- 41. (Currently amended) The isolated polypeptide of Claim 39 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256,
 - wherein the polypeptide encoded by said nucleic acid is capable of stimulating proliferation of T-lymphocytes.

- 42. (Currently amended) The isolated polypeptide of Claim 39 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256,
 - wherein the polypeptide encoded by said nucleic acid is capable of stimulating proliferation of T-lymphocytes.
- 43. (Currently amended) The isolated polypeptide of Claim 39 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide,
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256,
 - wherein the polypeptide encoded by said nucleic acid is capable of stimulating proliferation of T-lymphocytes.
- 44. (Currently amended) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4);
- (b) the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide;
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256.
- 45. (Currently amended) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4).

46. (Currently amended) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide of shown in Figure 4 (SEQ ID NO:4), lacking its associated signal peptide.

47-48. Canceled.

- 49. (Previously presented) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209256.
- 50. (Previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 44 fused to a heterologous polypeptide.
- 51. (Previously presented) The chimeric polypeptide of Claim 50, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.